

Package: settingsSync (via r-universe)

October 12, 2024

Type Package

Title 'Rstudio' Addin to Sync Settings and Keymaps

Version 3.0.2

Description Provides a 'Rstudio' addin to download, merge and upload 'Rstudio' settings and keymaps, essentially 'syncing them' at will. It uses 'Google Drive' as a cloud storage to keep the settings and keymaps files.

License Apache License (== 2)

URL <https://github.com/notPlancha/settingsSync>

BugReports <https://github.com/notPlancha/settingsSync/issues>

Depends R (>= 4.2)

Imports cli, dplyr, glue, googledrive, jsonlite, rappdirs, tibble, yesno

Encoding UTF-8

NeedsCompilation no

RoxygenNote 7.3.1

Suggests spelling

Language en-US

Repository <https://notplancha.r-universe.dev>

RemoteUrl <https://github.com/notplancha/settingsync>

RemoteRef HEAD

RemoteSha dd13b9396ac0623158fee3ea164c92b8dd2c2e0f

Contents

mimic-on-off	2
pull	3
push	4
read_from_gd	5

read_from_local	5
rstudio_path	6
sync	7

Index	8
--------------	----------

mimic-on-off	<i>Simulate the functions before truly running them</i>
--------------	---

Description

These functions are used to simulate the main functions before truly running them, to disable changes to the files and to the cloud.

Usage

```
mimic_on()
```

```
mimic_off()
```

```
is_mimic_on()
```

Details

These are used in most examples, so the user settings don't change when running [utils::example()]. Internally, these change the options 'ss.mimic', 'ss.mimic.local' and 'ss.mimic.cloud'.

Value

nothing

Functions

- `mimic_on()`: Enable mimic and write mimic files
- `mimic_off()`: Disable mimic
- `is_mimic_on()`: Check if mimic is on

Examples

```
mimic_on()
if(interactive()) {
  sync()
}
mimic_off()
```

pull

Pull Rstudio Settings

Description

Pulls Rstudio settings from Google Drive, without pushing. This is just a helper function for [sync()], the main function, but can be used alone, although this function will not do any checking, and will just override.

Usage

```
pull(  
  all = FALSE,  
  addins_gd = FALSE,  
  editor_bindings_gd = FALSE,  
  rstudio_bindings_gd = FALSE  
)
```

Arguments

all boolean, if TRUE will pull all settings from gd, overwriting them. This param overrides the values of the other params. Default is FALSE.

addins_gd, editor_bindings_gd, rstudio_bindings_gd character or boolean, the json string to be written to the respective file or TRUE/FALSE; if TRUE, will read from Google Drive; if FALSE to not write that specific file. Default is FALSE

Value

nothing

See Also

[read_from_gd()], [sync()], [push()]

Examples

```
mimic_on()  
  pull() # does nothing  
  pull(all = TRUE) # will pull all settings from gd, overwriting them  
  pull(addins_gd = '{"insertPipeOperator": "Shift+Tab"}',)  
  # will write to addins.json the string  
  pull(  
    addins_gd = '{"insertPipeOperator": "Shift+Tab"}',  
    editor_bindings_gd= TRUE  
  )  
  # will write to addins.json the string and pull editor_bindings from gd  
mimic_off()
```

push

Push Rstudio Settings

Description

Pushes Rstudio settings to Google Drive, without pulling. This is just a helper function for [sync()], the main function, but can be used alone, although this function will not do any checking, and will just override. Because of the way [googledrive::drive_put] is built, this function reads from the files directly.

Usage

```
push(  
  do_all = FALSE,  
  do_addins = FALSE,  
  do_editor_bindings = FALSE,  
  do_rstudio_bindings = FALSE,  
  progBar = NULL  
)
```

Arguments

`do_all` boolean, if TRUE will push all settings to gd, overwriting them. This param overrides the values of the other params. Default is FALSE.

`do_addins`, `do_editor_bindings`, `do_rstudio_bindings` booleans, if TRUE will push the respective file. Default is FALSE

`progBar` function, designed to work with [progress_bar()]. Runs after each file is pushed.

Value

nothing

Examples

```
mimic_on()  
  push() # does nothing  
  push(do_all = TRUE) # will push all settings to gd, overwriting them  
  push(do_editor_bindings = FALSE, do_rstudio_bindings = FALSE)  
  # will push only editor and rstudio bindings  
mimic_off()
```

read_from_gd	<i>Read from Google Drive a JSON file inside rstudio folder</i>
--------------	---

Description

This is a helper function for [pull()] and [sync()] that: * reads a json file from Google Drive inside the rstudio folder * converts it to a data frame (to resolve conflicts in the future)

Usage

```
read_from_gd(what, progBar = NULL)
```

Arguments

what	One of c("rstudio_bindings", "editor_bindings", "addins"), the file to read
progBar	function, designed to work with [progress_bar()]. Runs after the file is read.

Value

A data frame with the contents of the file, converted from json

See Also

[read_from_local()] [sync()] [jsonlite::fromJSON()] [googledrive::drive_read_string()]

Examples

```
mimic_on()
  read_from_gd("rstudio_bindings")
  read_from_gd("editor_bindings")
  read_from_gd("addins")
mimic_off()
```

read_from_local	<i>Read from local a JSON file inside rstudio folder</i>
-----------------	--

Description

This is a helper function for [sync()] that: * reads a json file from the local rstudio folder * converts it to a data frame (to resolve conflicts in the future)

Usage

```
read_from_local(what)
```

Arguments

what One of c("rstudio_bindings", "editor_bindings", "addins"), the file to read

Value

A data frame with the contents of the file, converted from json

See Also

[read_from_gd()], [push()], [sync()], [jsonlite::read_json()]

Examples

```
mimic_on()
  read_from_local("rstudio_bindings")
  read_from_local("editor_bindings")
  read_from_local("addins")
mimic_off()
```

rstudio_path

Get rstudio local path

Description

Get rstudio local path

Usage

```
rstudio_path()
```

Value

path to rstudio local

See Also

[rappdirs::user_config_dir()], [is_windows()], [usethis::is_windows()]

Examples

```
rstudio_path()
```

sync

Sync Rstudio Settings

Description

Gets the settings from Google Drive and from the local files, and merges them. If there are conflicts, will ask the user to resolve them. Finally, will write the merged settings to the local files, and push them to Google Drive. Will first ask for confirmation if interactive. This function is what's called by the addin.

Usage

```
sync(write = NULL, useProgBar = TRUE)
```

Arguments

<code>write</code>	boolean, if TRUE will write the merged settings to the local files, and push them to Google Drive. FALSE essentially just makes conflict resolution, without changing any files (basically a dry run). If a value other than NULL is provided, this will skip confirmation.
<code>useProgBar</code>	boolean, if TRUE will show a progress bar. Default is TRUE.

Details

NOTE: if it's not interactive, it won't write to files because of CRAN policies.

Value

nothing

See Also

[push()], [pull()]

Examples

```
mimic_on()
if(interactive()) {
  sync(write = TRUE) # will immediately try to sync all settings
  sync(write = FALSE) # dry run, will not write to files or push to gd
  sync() # will ask for confirmation, then sync all settings
}
mimic_off()
```

Index

`is_mimic_on (mimic-on-off)`, [2](#)

`mimic-on-off`, [2](#)

`mimic_off (mimic-on-off)`, [2](#)

`mimic_on (mimic-on-off)`, [2](#)

`pull`, [3](#)

`push`, [4](#)

`read_from_gd`, [5](#)

`read_from_local`, [5](#)

`rstudio_path`, [6](#)

`sync`, [7](#)